

Beyond Organic Matter: Unlocking the Power in the Soil Microbiome

Presented by Bob Reeves from
Earth Alive Clean Technologies



**To get your PDF Version of this presentation,
email your request to breeves@earthalivect.com**

For more information go to: www.earthalivect.com


Nature in Balance



Image of Wolf Lake (Temagami ON) by Rob Nelson | <http://www.savewolflake.org/> | <http://www.robnelson.ca/>

- Nature is a self-powered, self-balancing, self-correcting system
- The foundation of this durability is the intimate relationship between green plants and soil
- Life is incredibly durable
- Recovery and Adaptation are limited by only One Factor: Time

- Soil Organic Matter (SOM): we will explore the Green Ring below, and reveal its importance.
- Dynamic Microbial Communities, and a cascade of Micro and Macro-Fauna Foragers play a key role in soil (and plant) health.
- These are a vital part of SOM in healthy soils



The 5 Essential Elements in Balanced, Undisturbed Soil Ecologies

1. Photosynthetic Plants (a Green Plant Community)

2. Mycorrhizal Fungi (Symbiotic Root Partnerships)

3. A Mix of Soil Biota (Bacteria, Protists, and Beneficial Foragers)

4. Plant and Other Organic Residues (Soil Respiration / Water Cycling / Increase CEC)

5. Soil Parent Material (the Mineral Nutrient Supply Reservoir)

Essential to Soil Health: 1. Green Plants

1. Photosynthetic Plants (a Green Plant Community)

2. Mycorrhizal Fungi (Symbiotic Root Partnerships)


3. A Mix of Soil Biota (Bacteria, Protozoa, Beneficial Foragers)

4. Plant and Other Organic Residues (for Nutrient Cycling)

5. Soil Parent Material (a Mineral Nutrient Supply Reservoir)

The Power of Green Plants

The Engine that Powers All Life on Earth (Including The Unseen Life In Soils)



Ancient Earth – Rock, Oceans, and Tidepools

And in those tidepools, single-celled organisms begin competing for food - and dominance

- A winner would emerge from the primordial soup



The Primordial Leap Forward

It all began - with a Bad Case of Indigestion

- Captured and protected inside an ancient cell, the Chlorophyta flourished (and so did its captor)
- The hitchhiker gave the cell the ability to feed itself – **Bingo!**
- World domination was just around the corner




Image by: Gentil, J., Hempel, F., Moog, D. et al. Protoplasma (2017)

Blue-Green Algae Changes our Earth

The Chlorophyta Hitchhiker inside the ancient Cyanobacteria propels this microbe to planet-wide dominance.

- But – its waste product (Oxygen) would ultimately drive it to near-extinction



Planet Earth becomes Green

Photosynthesis Changed the World

- The captured Chlorophyta eventually became part of the DNA of its host cell
- Today we call these amazing organelles inside of all green plant cells '**Chloroplasts**'
- Green Plants continue to supply the atmosphere with a very important waste product - **Oxygen**





Image by: Gentil, J., Hempel, F., Moog, D. et al. Protoplasma (2017)

Which Lifeform Dominates Earth?

Photosynthetic Plants: **80%** of Earth's Biomass





“Gt C” = Gigatons of Carbon

Diagram courtesy of: The Smithsonian Institute

Exudates – The Fuel That Powers Life In Soils

- Chloroplasts produce **40% More Sugars** than a plant needs to grow



**Carbon
Compounds
Produced
Through
Photosynthesis**

60%

Used to Grow

**Used by the plant to
grow and reproduce**

40%

Exuded to form
Partnerships

**Traded to beneficial soil
microbes in exchange
for nutrients, water and
other work**

Elodea canadensis image by: Dr. Ales Kladnik


How Do Plants Spend Their Carbohydrate Surplus?

- Why do plants exude their surplus of carbon photosynthates (sugars etc.) into the soil environment?
- What soil organism benefits most directly from the carbohydrate surplus?
- What do plants get back in return?



The Natural Trading Partnership

- **1/3** of all Photosynthates are given to **Mycorrhizal Fungi**
(via various carbohydrate exudates)



Essential to Soil Health: 2. Mycorrhizal Fungi

1. Photosynthetic Plants (a Green Plant Community)


2. Mycorrhizal Fungi (Symbiotic Root Partners)

3. A Mix of Soil Biota (Bacteria, Protozoa, Beneficial Foragers)

4. Plant and Other Organic Residues (for Nutrient Cycling)

5. Soil Parent Material (a Mineral Nutrient Supply Reservoir)


How do you say that?



- **In undisturbed nature, 95% of plants form a unique partnership with ancient fungi. Mycorrhizae help plants find water and nutrients in soil (and more).**

Energy (Carbon) Acquisition by Fungi

- Fungi acquire carbon energy from either **Living** or **Dead** hosts



Symbiosis = Success

symbiosis (noun) “the living together of two dissimilar organisms, as in mutualism...”


mutualism (noun) “a relationship between two species of organisms in which both benefit from the association.”



Achievement Through Co-operation

Let's Look Closer...

- Only **1** to **3** % of soil volume is roots
- Mycorrhizal hyphae can increase this density to **20%**




Host Root

Mycorrhizal
Web
(Hyphae)

Pinus sylvestris & *Suillus* [ECM]
Image c/o S.E. Smith / D.J. Read

Looking Even Closer...

Now that's small!



A Root Hair Tip

Mycorrhizal
hyphae

- The only absorptive surface that a root has is the root tip

The Nutrient Depletion Zone is Expanded 100 to 1000 Times Over by Mycorrhizae

- Mycorrhizal mycelium increase the absorptive surface of roots by adding the Mycorrhizosphere to the Rhizosphere






Image c/o Paul Kuttner 2015 / www.culturalorganizing.org

The Root's Fungal Workforce



The Sharing of Assets (and Information) through the Mycorrhizal Network



A Plant Chooses Its Mycorrhizal Partners

95% of landscape plants associate with 2 classes of mycorrhizae:

Endomycorrhizae




Ectomycorrhizae




Endo vs. Ectomycorrhizae

An Arbuscule [AM]



Endomycorrhizae [AM] enter a root cell of the host plant and build a tree-like Arbuscule **inside cortical cells** where nutrients, carbohydrates, and water are exchanged.



Ectomycorrhizae [ECM] build a dense fibrous latticework of Hyphae called a 'Hartig Net' **between and on the outside** of the host plant's root cells where assets are exchanged through the cell wall membrane

ECM Spores





Image by: Victor O. Leshyk

Landscape Plants choose between these Mycorrhizal Types




- ▶ Herbaceous Perennials
- ▶ Ferns, Grasses,
- ▶ Woody Shrubs (Incl. Juniper, Cedar, Yew)
- ▶ Softwood Trees (Maple, Prunus, Malus, Pyrus...)
- ▶ Vegetables, Grains

- ▶ Conifers (Spruce, Pine, Fir, Hemlock, Larch...)
- ▶ Hardwood Trees (Birch, Beech, Oak, Ostrya, Poplar...)
- ▶ Nut Trees (Hickory, Hazel...)

The Oldest Trees East of the Mississippi rely on mycorrhizae for both water and nutrients

- “The Snake” (*Thuja occidentalis*) Date of Birth: 795 AD



This ancient Eastern White Cedar is growing in a 5mm crack in the face of the Niagara Escarpment near Lion's Head Ontario.

**As of 2019,
The Snake
is 1,225
years old**

Image by: Peter E. Kelly | from “The Last Stand” P.E. Kelly & Douglas Larson | Natural Heritage Books 2007

Essential to Soil Health: 3. A Consumer Culture

1. Photosynthetic Plants (a Green Plant Community)

2. Mycorrhizal Fungi (Symbiotic Root Partnerships)


3. A Mix of Soil Biota (Bacteria, Protozoa, Beneficial Foragers)

4. Plant and Other Organic Residues (for Nutrient Cycling)

5. Soil Parent Material (a Mineral Nutrient Supply Reservoir)

Soil Microbes and Progressively Larger Foragers

- Healthy soil is teeming with a mixed community of countless billions of individual organisms – both single-celled and complex





Dr. Nardi

The 9 Trophic Levels of Life in Healthy, Undisturbed Soils

The bottom of the pyramid supports all soil life

Nothing in a Healthy Soil Environment is ever wasted – Especially Waste


The zillions of creatures foraging (and perishing) in in healthy soils produce copious amounts of Ammonia (NH₃)



Bacteria convert this abundant Nitrogen resource into Nitrate (NO₃)

Bacterial Colonies Exploit any source of Carbon

In the presence of scant water (just a Biofilm), within the right temperature range, bacterial colonies with rapidly multiply




Guaranteed Microorganisms	Minimum Count
<i>Bacillus subtilis</i>	2.48×10^8 cfu/g
<i>Bacillus amyloliquefaciens</i>	5.00×10^8 cfu/g
<i>Pseudomonas monteilii</i>	1.00×10^8 cfu/g

CFU = Colony Forming Unit

Mycorrhizae move Water and Organic Nutrients to the roots of the host plant

- Macro and Micro Nutrients are transported to the roots in exchange for carbohydrates provided by the plant host

An N_{15} Isotope in Soil Organic Matter fluoresces red on the way to the root




A hyphal (carbon) tube in the nutrient pipeline

Nitrogen is directly captured from bacterial colonies digesting SOM

Image from the publication: Nature

Soil Microbes and Progressively Larger Foragers




It's all about
Who Eats What
(or whom)
and the Nutrient
Residues of all
that Activity

Image courtesy of: Landscapes For Life

The Soil Food Web & its Pipeline

- Plant Roots exude surplus carbohydrates - Mycorrhizal networks are built
- Nitrogen digested by foragers is then converted into **Plant Available Nitrate** by bacterial colonies. Nitrate is also captured from Free Nitrogen Fixing bacteria – all flow to the roots through mycorrhizal hyphae (the living nutrient delivery pipeline)



Essential to Soil Health: 4. **S**oil **O**rganic **M**atter

1. Photosynthetic Plants (a Green Plant Community)

2. Mycorrhizal Fungi (Symbiotic Root Partnerships)


3. A Mix of Soil Biota (Bacteria, Protozoa, Beneficial Foragers)

4. Plant and Other Organic Residues (for Nutrient Cycling)

5. Soil Parent Material (a Mineral Nutrient Supply Reservoir)

Soil Organic Matter [SOM]

- SOM includes: living microorganisms, fresh (**recently dead**) organic residues, plant roots, microbes, insects and animals, and very tough (**long dead**) organic compounds that resist microbial decomposition (**humic compounds**). These are the **CEC 'Batteries'** in soil that hold **Nutrient Cations** until needed by plants
- In healthy soils, billions of microbes digest and dismantle SOM, then root tips and mycorrhizal fungi transport the converted nutrients into plant roots




CEC = Cation Exchange Capacity

Diagram courtesy of OSU Fact Sheet SAG-16

SOM and the C:N Ratio

- The Carbon/Nitrogen [C:N] ratio of organic residues (and particle size) will determine how quickly SOM can be cycled by soil microorganisms.
- In organically maintained landscape soils, Primary and Secondary Consumers, and Mycorrhizal activity can be maintained at a highly-productive pace. Resulting in stable nutrient availability for plants



Essential to Soil Health: 4. Mineral Reserves

1. Photosynthetic Plants (a Green Plant Community)

2. Mycorrhizal Fungi (Symbiotic Root Partnerships)

3. A Mix of Soil Biota (Bacteria, Protozoa, Beneficial Foragers)

4. Plant and Other Organic Residues (for Nutrient Cycling)

5. Soil Parent Material (a Mineral Nutrient Supply Reservoir)

How do these ancient Red Pines get the nutrients that they need from the unyielding Granite of the Canadian Shield?




Image of Wolf Lake (Temagami ON) by Rob Nelson | <http://www.savewolflake.org/> | <http://www.robnelson.ca/>

- Nutrients from mineral sources are obtained by plant roots through close associations with soil microbes and mycorrhizal fungi – these essential organisms solubilize minerals.

A Very Close Look at Phosphate

- Mycorrhizae use enzymes (acids) to release tightly-bound nutrient anions

A calcium phosphate crystal
'bound' to a typical clay matrix




- Mycorrhizal hyphae inundate the parent material of soil and release bound nutrients
- Phosphatase enzymes exuded by mycorrhizal hyphae convert mineral phosphate to a Reactive (Plant Available) form and deliver it to the roots

Mineral Mining in Action

- Mycorrhizal hyphae mining for minerals

A flake of feldspar showing grooves where hyphae 'bored' holes



- Phosphorus, potassium, calcium, magnesium, boron, manganese, zinc, iron, molybdenum, copper...
- Enzymes and acids exuded by mycorrhizal hyphae release and capture mineral macro and micronutrients needed by their plant hosts

Image by: Landeveert 2001
from Scientific American - by Jennifer Fraser

Part 1: Summary

In Natural (Undisturbed) Soils all 5 of these essential elements are kept in balance

1. Photosynthetic Plants (a Green Plant Community)

2. Mycorrhizal Fungi (Symbiotic Root Partnerships)

3. A Mix of Soil Biota (Bacteria, Protozoa, Beneficial Foragers)

4. Plant and Other Organic Residues (for Nutrient Cycling)

5. Soil Parent Material (a Mineral Nutrient Supply Reservoir)

Part 2

Breaking Nature's Balance: The Factors that Disturb Urban Soils



3 Major Factors Disrupt Natural Soil Life:



1. Industrial Contamination (Toxins)
2. Construction and Cultivation
3. “Lazy Root Syndrome”

Heavy Duty Damage



The fact that this kind of human activity harms the ecosystem is not hard to imagine. But, it doesn't take industrial-scale damage to harm soil ecology.

What Gets Broken when we build?



Topsoil is Stripped, Piled and Compressed

- Subsoil is raised by construction
- Heavy equipment compacts it all
- Desiccated organics drift in the wind




Dust rises and the new streets look like a Western Ghost Town

- Eventually a thin layer of the crushed topsoil is spread over the compacted land
 - Sod is rolled out and people move in


Disturbed Soils are what Landscapers work with

- The soil on new construction sites are either sterile or bacterial, triggering aggressive infiltration of early-succession plants (weeds)
- But - we plant mid and climax-succession plants into these highly disturbed urban soils – no wonder they struggle to establish roots



Mid & Climax Succession Plants struggle in Disturbed Soils

- Plants installed into the disturbed soils on landscape sites need mycorrhizal partnerships and nutrient producing microbial communities to function optimally
- Assist Plant Adaption in disturbed soils.** Apply: Mycorrhizae matched to the plant host (Endo/Ecto) + Bacterial Colonies proven to provide nutrients



Synthetics Switch-Off Natural Soil Life

- Plant roots do not metabolize synthetic nutrients efficiently
- Leachates are a major environmental problem
- And - Plants abandon (stop feeding) their mycorrhizal/microbial partnerships. This is called “**Lazy Root Syndrome**”.
- Soils become lifeless, shallow, compacted and unstable




Synthetic Fertilizers Work – But...

- Synthetic Fertilizers Feed the Plant (via salt-based chemistry)
- Whereas, Organic Fertilizers & Bio-Fertilizers Feed the Soil

So, when we use Synthetic Fertilizers:

1. The microbial life in soil is starved-out (and their benefits are lost)
2. Plants have not evolved to directly access nutrients – they are only about 20-25% efficient at this task. As a result, 75-80 % of applied synthetic fertilizers escape as **highly-reactive leachates**



Where do synthetic phosphates end up after leaching from fields and landscape soils?

- The Lake Erie toxic algae bloom as seen from space in Fall 2011
- According to the IJC, this annual algal bloom is created by a sustained runoff of **D**issolved **R**eactive **P**hosphorus [**DRP**] from the watershed



Images from: International Joint Commission (2014). Report: A Balanced Diet for Lake Erie...

Plants Roots do not Metabolize **D**issolved **R**eactive **P**hosphate Efficiently

- Only **20%** of applied synthetic phosphate is absorbed by plant roots – **80% escapes** into the environment – **the consequences are far reaching**
- Plant roots ‘bathed’ in synthetic nutrients develop “Lazy Root Syndrome”
- Plants stop supporting mycorrhizal fungi and the soil biome – and become dependent on continued synthetic fertilizer applications.



Image from: International Joint Commission (2014) Report: A Balanced Diet for Lake Erie

We Can Restore the Benefits of Soil Microbial Life on Landscape Sites

- **An organically maintained landscape site.** Mycorrhizal Networks and Microorganisms below grade supporting a diverse plant (and soil life) community
- No leaching of valuable plant nutrients into groundwater and streams
- Survival rate on this Zone 5a site in Caledon (2015-2016): **100%**



Image courtesy of Revisions Designs and Doug McClure Land Services (2015)

Part 3: Re-establishing Natural Soil Ecology on Urban Landscape Sites



Image of Wolf Lake (Temagami ON) by Rob Nelson | <http://www.savewolflake.org/> | <http://www.robnelson.ca/>

- We can learn from the way natural soils function
- We can re-establish/restore natural soil structures and biology on urban landscape sites
- The environmental and economic benefits are real

Does Restoring the Mycorrhizal Population Help When Planting?

How do we know that Inoculation with Compatible Mycorrhizal Fungi works?

- 4 years of testing by the University of Guelph
- The latest technology was used



Replicate – then – do it again!

- Stem Psychrometers simultaneously reporting the stress levels of 32 trees
- Half were drenched with Root Rescue Transplanter – half were just watered
- Stress level data was collected every 30 minutes, 7 days a week



Research Supports Biological Plant Care

UNIVERSITY
of **GUELPH**

- Stem Psychrometers are attached to the trunk of a tree by scraping away a small amount of bark – exposing the Xylem layer – the pipeline from the roots.



Expose the Sapwood



Check the Sensor



Attach the Sensor



Seal the Connection



Attach the Datalogger




Insulate the Sensor

Graphing Water Status (Stress) - 24/7

UNIVERSITY
of GUELPH

The data sample in this graph presents the average water status of 6 treated vs 6 non-treated Dawn Redwood

Four Days Without Rain – a Pattern Emerges



- The Daily Rhythm of Stress and Recovery
- Blue trees were Transplanter inoculated
- Red trees are fending for themselves
- The Dangerous Dip

When the Going Gets Tough the Mycorrhizal Advantage Kicks In

- ▶ Chanticleer Pear
- ▶ Stress takes its toll

UNIVERSITY
of GUELPH

- U of G Research published in 'Acta Horticulturae' in 2015
- Publication available for download at:
<http://www.rootrescue.com/site/university-of-guelph-data>



Use the New Tools

Inputs that Promote Healthy Soil Life

- Inoculate Plant Roots with [Compatible Mycorrhizae](#)
- Use Organic Sourced Nutrients: [Granular or Liquid Organic Fertilizers, Insect Frass, Worm Castings, Kelp & Chitin](#)
- Organic Mineral Supplements for boosting soil nutrient reserves and supporting beneficial microbial life: [Basalt Rock Dust, Rock Phosphate, Carbonatite, Zeolite, Azomite](#)
- Boost healthy soil microbial communities with [Beneficial Bacteria Inoculates](#), and high-quality Compost
- Supply a quick nutrient boost and increase bacteria-consuming protozoa (boosting available N) with [Compost Tea](#)

Develop New Habits

DO:

- Inoculate all new plantings with a Compatible Mycorrhizae
- Use Mulching Mowers. Grass clippings have a high C:N ratio
- Convince your clients that a lawn with 25% clover in it is “A Beautiful Thing”
- Boost healthy soil microbial soil communities with Compost Tea, Beneficial Bacteria Inoculates, and high-quality Compost
- Get a Leaf Shredder. The finer that leaves and twigs are broken down, the quicker they can be composted

DONT:

- Use synthetic fertilizers with a P₂O₅ percentage higher than 8% (if you must use synthetic fertilizer, only use slow-release forms - better still - use Organic Fertilizers)

Become Your Own Supply House


Use space at your home base to make your own business more self-sufficient

- Become proficient at **composting**
- Use your own highest quality composts to brew your own **Compost Tea**
- Keep **Grass Clippings** for composting (an excellent compost accelerator with a high C:N ratio)
- Consider growing your own **Green Manure** crops for composting (an excellent way to improve the C:N ratio in compost)
- Use **Wood Ash** in compost and as top-dressing (vs. Lime)
- Consider buying (or building) your own **Bio-Char Unit**

New Sustainable Technologies

So, What is Biochar?

- Biochar is created by converting an organic feedstock (wood, biofuels etc.) into a stable form of essentially pure carbon. The process involves ‘burning’ the feedstock in an atmosphere of reduced oxygen at a controlled low temperature – **Pyrolysis**
- The internal structure of the Biochar provides a vast surface area where nutrient ions can be held until they are needed by plants. Soil CEC is dramatically (and virtually permanently) improved once the Biochar is activated by soil microbes.



Biochar cavities and surfaces

Glomus clarum
(mycorrhizae)

Part 4: The ROI

How Caring for Soil Life Improves Your Bottom Line



- Nature has developed an incredibly **efficient microbial community** that supports landscape plants
- Engaging this natural network is like switching on an **unpaid, self-sustaining workforce**
- Once the microbial workforce has ‘Punched-In for the Day’, **nutrient inputs can be reduced**
- Plants establish deep root systems - soils retain more storm water - **reducing irrigation requirements and storm runoff**
- Healthy soil/plant communities also **reduce the occurrence and severity of plant disease and insect attack**



Apply: Watering Can/Pail - On Planting Day

The Wettable Powder Mixes Quickly and Easily in Water:



- 1 TSP per Watering Can
- 1 TBSP per 5G (18.5L) Pail

Images courtesy of: Cedar
Springs Landscape Group





Apply: Hose-End Applicator – Drench Plants without Heavy Pails

The Wettable Powder Mixes Quickly and Easily in Water:



Download easy mixing
instructions from:


www.rootrescue.com

Images courtesy of: Cedar
Springs Landscape Group
www.earthalivect.com



Apply: Motorized Tank Applicator - Drench or Inject into the Roots

The Wettable Powder Mixes Quickly and Easily in Water:



The ROI

The Early Payback comes from Reduced Plant Failure Rates on Landscape Sites

- Replacing failed plant materials on landscape installations or at the Garden Centre **kills profits - and makes no friends.**
- Organic Inputs may cost more – but are **used less frequently, have a sustained effect,** and a perceived **higher market value**
- All sectors of the economy linked to ‘Organics’ are **growing in market share.**
- Today’s homeowner is highly motivated to choose products and services based on concerns for the **health and safety of their family and the environment.**
- Your company’s ‘Organic Profile’ will **win you market share**

Unlock the Power in Microbial Soil Life

Are we not “The Green Industry”?



We need to become Stewards of The Soil – Nature can, and will, take care of plants.

Key Points:

- Respect the dynamics of soil life.
- Move toward Sustainability – and beyond - to Restoration
- We have new tools in the toolbox
- Synthetics-based plant care ignores or disrupts the sustained power that a healthy soil microbiome provides to plant communities – and to all of us
- Support plants with Biology not Chemistry - inputs and failures decline as self-sufficiency increases
- Synthetics damage the wider ecosystem – we have alternatives
- Nature has perfected a self-correcting, sustainable engine for growing plants. Ignore it, or employ it – it’s your choice

The 2 Options we have:


A Nitrogen Fixing 'Plant'



Powered by:

- Burning and converting billions of cubic meters of non-renewable natural gas to make Urea
- A massive hydrocarbon-fueled infrastructure

A Nitrogen Fixing 'Plant'



Powered by:

- Re-purposed local waste products
- A dynamic living soil community
- And – The Sun
- Note: Also fixes Phosphorus, Potassium, Carbon, Zinc, Boron....

Tulip Tree
Field Trial – Summer 2009
(Photo taken Oct. 2015)



Thank You!



To get your PDF version of this presentation, email your request to breeves@earthalivect.com

Visit our site today!

www.earthalivect.com

More Info? Contact Bob Reeves:
breeves@earthalivect.com